



Pressure Gauge Price List Effective August 01, 2006

PM Series	Stainless Industrial Gauge	S/S Case & Crimp Ring, S/S Wetted Parts, Plastic Crystal, Fillable				
(Catalog p.4)		A	B	C	D	E
		Bottom Mount	Bottom Mount Rear Flange	Back Mount	Back Mount U or O Clamp	Back Mount Front Flange
Prices for 0/30 psi to 0/600 psi:						
PM 15 C (1.5"; 1/8" or 1/4" NPT)		73.97	-	77.52	91.04	88.56
PM 25 C1 (2.5"; 1/8" or 1/4" NPT)		71.01	86.01	89.36	102.58	97.25
PM 40 C1 (4"; 1/4" or 1/2" NPT)		124.27	132.16	NA	NA	NA
PM OPTIONS: (Add to base price)			1.5"	2.5"	4"	
Vacuum, compound, 0-15 psi	and 800 to 6,000 psi, add:		6.90	6.90	6.90	
	Glycerin filling add:		5.00	4.00	18.00	
	Silicone filling add:		10.00	8.00	40.00	

PR Series	Heavy-Duty S/S Gauge	S/S Case & Bayonet Ring, S/S Wetted Parts, Safety Glass, Blowout Plug, Repairable, Fillable				
(Catalog p. 5)		A	B	C	D	E
		Bottom Mount	Bottom Mount Rear Flange	Back Mount	Back Mount U - Clamp	Back Mount Front Flange
Prices for 0/30 psi to 0/600 psi:						
PR 25 S1 (2.5", 1/4" NPT, plast. cryst.)		74.33	81.03	84.18	96.34	91.60
PR 35 S1 (3.5"; 1/4 or 1/2 NPT)		106.09	116.26	132.15	133.40	126.42
PR 40 S1 (4"; 1/4" or 1/2" NPT)		138.09	152.61	145.34	170.77	163.52
PR 60 S1 (6"; 1/4" or 1/2" NPT)		214.36	232.50	221.57	246.48	243.43
PR OPTIONS: (Add to base price)						
	2.5", 3.5" & 4"	6"		2.5"/3.5"	4"	6"
Vacuum, compound, 0-15 psi,	and 800-10,000 psi, add:	6.35	6.35	Glycerin filling add:	4.00/12.00	18.00
	15,000 psi, add:	31.76	31.76	Silicone filling add:	8.00/24.00	40.00
	20,000 or 30,000 psi, add:	312.00	410.00	Halocarbon filling add:	40.00/120.00	450.00
	40- 50,000, add:**	NA	On Applic.	Monel Tube/Socket add:	- / -	296.00
						355.00

** with 1/4" High Press. Female Fitting

PT Series	Process Gauge	4.5" Phenolic "Turret" Safety Case; Solid Front/ Blowout back; All Stainless Internals; Fillable; 1/2% accuracy	
(Catalog p. 9)		A-Bottom Mount C-Back Mount (call for availability)	
		A	C
Prices for 0/30 psi to 0/600 psi:			
PT 45 P1 (4 1/2" case, 1/2" or 1/4" NPT)		126.68	292.58
PT OPTIONS: (Add to Base Price)			
Vacuum, compound, 0-15 psi,	and 800 to 10,000 psi add:	7.21	
	15,000 psi. add:	31.46	
	20,000 psi. add:	On Applic.	
		Shatterproof	Glycerin filling add: 24.00
		Glass	Silicone Fill 72.00
		16.00	Halocarbon Fill 550.00
			Monel Tube/Socket add: 320.00

PA Series	ABS Industrial Gauge	4" ABS Case; Repairable & Fillable; Stainless or Copper Alloy Wetted Parts; Blowout Relief	
(Catalog p. 11)		A	B
		Bottom Mount	Rear Flg.
Prices for 0/30 psi to 0/600 psi:			
PA 40 A1 (316 SS Int.); 1/4 or 1/2" NPT		169.37	193.58
PA 40 A2 (Copper Alloy Int.; 1/2 or 1/4" NPT.)		95.77	119.25
Vacuum, compound, 0-15 psi	and 800 to 10,000 psi add:	7.43	Glycerin filling add: 18.00
	15,000 psi. (ss only) add:	37.13	Silicone filling add: 40.00

All prices subject to change.





Pressure Gauge Price List

Effective August 01, 2006

PS Series		Safety Gauge		All Stainless Case and Internals, Bayonet Ring; Solid Front/ Blowout back; Safety Glass; 1%, Repairable/Fillable					
(Call for availability)						A	B	C	E
						Bottom Mount	Bottom Mount Rear Flange	Back Mount	Back Mount Front Flange
Prices for 0/30 psi to 0/600 psi:									
PS 40 S1 (4"; 1/4" or 1/2" NPT)				193.13	NA	388.28			
PS 60 S1 (6"; 1/4" or 1/2" NPT)				350.21					
PS OPTIONS: (Add to base price)									
		4"	6"			4"	6"		
Vacuum, compound, 0-15 psi and 800 to 10,000 psi add:				7.62	7.62	Glycerin filling add:		22.00	44.00
15,000 psi add:				64.14	64.14	Silicone filling add:		44.00	88.00
						Monel tube/socket, add:			320.00

PL Series		Test Gauge		6" S/S Case, S/S Tube & Socket , 1/4 or 1/2" NPT, Knife Edge Pointer, Mirror Band Dial					
(Catalog p. 10)						A	B	C	E
						Bottom Mount	Bottom Mount Rear Flange	Back Mount	Back Mount Front Flange
Prices for 0/30 psi to 0/600 psi									
PL 60 L1 (1/2% acc.)				356.57	395.34	372.09	395.34		
PL 60 M1 (1/4% acc.)				705.41	748.05	728.67	748.05		
PL OPTIONS:						Vacuum, compound, 0-15 psi and 800 to 8,000 psi add:		99.00	

PC Series		Capsule Gauge		For Low Pressure; Stainless Steel or Steel case					
(Catalog p.10)						A	B	C	E
						Bottom Mount	Bottom Mount Rear Flange	Back Mount	Back Mount Front Flange
PC 25 N2 (2.5", steel/brass, 1/8 or 1/4 NPT)				98.74	NA	127.78	NA		
PC 25 S2 (2.5", SS/brass, 1/8 or 1/4 NPT)				116.40	135.28	147.86	166.74		
PC 25 S1 (2.5", SS case/SS int., 1/8 or 1/4 NPT)				302.50	317.02	326.70	341.22		
PC 40 S2 (4", SS/brass, 1/4 or 1/2 NPT)				143.40	158.92	170.53	189.92		
PC 40 S1 (4" , SS case/SS int., 1/4 or 1/2 NPT)				398.66	412.51	429.80	440.19		
PC 60 S2 (6", SS case/brass int., 1/4 or 1/2 NPT)				398.09	411.40	429.55	446.49		
PC 60 S1 (6", SS case/SS int., 1/4 or 1/2 NPT)				588.06	601.37	619.52	636.46		

PG Series		S/S Case, Brass Internals		S/S Case, Brass Internals, Plastic Lens, Fillable "C" case has crimped ring "S" case has bayonet ring, and is repairable.						
(Catalog p. 7)						A	B	C	D	E
						Bottom Mount	Bottom Mount Rear Flange	Back Mount	Back Mount U or O Clamp	Back Mount Front Flange
Prices for 0/30 psi to 0/600 psi:										
PG 15 C2 (1/8" NPT) (Glycerin Filled)				31.46	On Application	33.88	On Application	On Application		
PG 25 C2 (2.5"; 1/8" or 1/4" NPT)				28.25	35.29	29.04	42.98	37.37		
PG 25 S2 (2.5"; 1/4" NPT) <i>Repairable</i>				34.13	42.84	34.79	45.74	43.13		
PG 35 S2 (3.5"; 1/4" or 1/2" NPT) <i>Repairable</i>				50.18	60.16	55.24	71.46	78.79		
PG 40 C2 (4"; 1/4" or 1/2" NPT)				72.33	83.46	97.83	121.81	116.86		
PG 40 S2 (4"; 1/4" or 1/2" NPT) <i>Repairable</i>				94.40	104.69	104.49	128.45	123.52		
PG OPTIONS (Add to base price):						2.5"	3.5"	4"		
Vacuum, compound, 0/15psi, and 800 to 6000 psi, add:				6.04	6.33	7.61				
Glycerin filling add:				4.00	12.00	18.00				
Silicone filling add:				8.00	24.00	40.00				

All prices subject to change.





Pressure Gauge Price List

Effective August 01, 2006

PD Series		General Purpose Gauges		Dry, Copper Alloy Wetted Parts							
(Catalog p. 8)							A	B	C	D	E
Prices for 0/30 psi to 0/600 psi:							Bottom Mount	Bottom Mount Rear Flange	Back Mount	Back Mount U or O Clamp	Back Mount Front Flange
N = Black Steel Case											
Plastic Snap-In Window											
PD 15 N2	(1.5"; 1/8 or 1/4 NPT)	14.95	NA	14.95							
PD 20 N2	(2"; 1/8 or 1/4 NPT)	14.95	NA	14.95	On Application				On Application		
PD 25 N2	(2.5"; 1/8 or 1/4 NPT)	15.58	On Application	15.58							
PD 35 N2	(3.5"; 1/4" NPT)	31.07									
X = Stainless Steel Case											
Plastic Snap-In Window											
PD 15 X2	(1.5"; 1/8 or 1/4 NPT)	24.50	NA	24.50	On Application				NA		
PD 20 X2	(2"; 1/8 or 1/4 NPT)	28.64	NA	28.64					NA		
PD 25 X2	(2.5"; 1/8 or 1/4 NPT)	29.06	On Applic.	29.06					On Applic.		
B = Black Steel Case											
Push-on Bezel, Glass Window											
PD 15 B2	(1.5"; 1/8 or 1/4 NPT)	14.95	NA	14.95	20.76				NA		
PD 20 B2	(2"; 1/8 or 1/4 NPT)	14.95	NA	14.95	20.76				NA		
PD 25 B2	(2.5"; 1/8 or 1/4 NPT)	15.58	On Application	15.58	23.05				51.49		
PD 30 B2	(3"; 1/4" NPT)	20.76	Application	20.76	31.56				82.02		
PD 40 B2	(4"; 1/4 or 1/2 NPT)	33.23	NA	NA	NA				NA		
Z = Stainless Steel Case											
Push-on Bezel, Plastic Window											
PD 15 Z2	(1.5"; 1/4 or 1/8 NPT)	27.00	NA	27.00	30.32				NA		
PD 20 Z2	(2"; 1/4 or 1/8 NPT)	31.15	NA	31.15	37.37				NA		
PD 20 Z1	(1/4" NPT) <i>S/S internals, glass lens</i>	84.22	NA	95.83	NA				NA		
PD 25 Z2	(2.5"; 1/8 or 1/4 NPT)	31.97	39.46	31.97	38.20				66.44		
Y = Black Steel Case											
Bayonet Ring / Glass											
PD 40 Y2	(4"; 1/4 or 1/2 NPT)	47.34	On Application	61.67	NA				On Application		
PD 60 Y2	(6"; 1/4" or 1/2" NPT)	86.98	Application	103.09	NA				Application		
S = Stainless Steel Case											
Bayonet Ring / Glass											
PD 40 S2	(4"; 1/4 or 1/2 NPT)	78.49	On Application	92.81	NA				NA		
PD 60 S2	(6"; 1/4 or 1/2 NPT)	113.99	Application	127.68	NA				NA		
PD OPTIONS (Add to base price):		1.5", 2"	2.5", 3"	4"	6"						
Vacuum, compound, 0-15 psi or over 0-600 psi (max 6,000 psi)		NA	3.13	16.20	12.66						

All prices subject to change.





Pressure Gauge Price List Effective August 01, 2006

<p>Electrical Contacts (Cat. P.39) (Open or Close, on Rise or Fall)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Gauge Size</th> <th>Part #</th> <th>Price</th> </tr> </thead> <tbody> <tr> <td>4"</td> <td>PXEM21-40</td> <td>360.00</td> </tr> <tr> <td>4.5"</td> <td>PXEM21-45</td> <td>360.00</td> </tr> </tbody> </table> <p>Max Hand Drag Pointers (Cat. P.39)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Size</th> <th>For models</th> <th>Part #</th> <th>Price</th> </tr> </thead> <tbody> <tr> <td>2.5"</td> <td>PR25, PG25S</td> <td>MP-PR25</td> <td>82.23</td> </tr> <tr> <td>4"</td> <td>PR, PG40</td> <td>MP-PR40</td> <td>68.31</td> </tr> <tr> <td>4.5"</td> <td>PT45</td> <td>MP-PT45</td> <td>75.90</td> </tr> <tr> <td>6"</td> <td>PR60</td> <td>MP-PR60</td> <td>101.20</td> </tr> </tbody> </table>	Gauge Size	Part #	Price	4"	PXEM21-40	360.00	4.5"	PXEM21-45	360.00	Size	For models	Part #	Price	2.5"	PR25, PG25S	MP-PR25	82.23	4"	PR, PG40	MP-PR40	68.31	4.5"	PT45	MP-PT45	75.90	6"	PR60	MP-PR60	101.20	<p>Certification & Calibration - Prices are net</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Type of Certification</th> <th>Part #</th> <th>1.5"-2.5"</th> <th>4"-6"</th> <th>TestGauge</th> </tr> </thead> <tbody> <tr> <td>Cert of Conformance</td> <td>CCONPG</td> <td>4.00</td> <td>4.00</td> <td>4.00</td> </tr> <tr> <td>Cert of Traceability</td> <td>CNISTPG</td> <td>8.00</td> <td>8.00</td> <td>8.00</td> </tr> <tr> <td>Calibration Sticker</td> <td>CALSTKPG</td> <td>5.00</td> <td>5.00</td> <td>5.00</td> </tr> <tr> <td>Calibration Cert, 3 pts.</td> <td>CCALPG-3</td> <td>33.00</td> <td>33.00</td> <td>55.00</td> </tr> <tr> <td>Calibration Cert, 5 pts.</td> <td>CCALPG-5</td> <td>44.00</td> <td>44.00</td> <td>66.00</td> </tr> </tbody> </table> <p>Restrictor Screws</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Material</th> <th>Part #</th> <th>Price</th> </tr> </thead> <tbody> <tr> <td>Brass</td> <td>PXR-B</td> <td>3.00</td> </tr> <tr> <td>316SS</td> <td>PXR-S</td> <td>4.70</td> </tr> </tbody> </table> <p>Oxygen Cleaning prices are net</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Part#</th> <th>Size</th> <th>Net Price</th> </tr> </thead> <tbody> <tr> <td>OXY25</td> <td>2.5"</td> <td>34.00</td> </tr> <tr> <td>OXY40</td> <td>4"</td> <td>48.00</td> </tr> <tr> <td>OXY45</td> <td>4.5"</td> <td>48.00</td> </tr> </tbody> </table>	Type of Certification	Part #	1.5"-2.5"	4"-6"	TestGauge	Cert of Conformance	CCONPG	4.00	4.00	4.00	Cert of Traceability	CNISTPG	8.00	8.00	8.00	Calibration Sticker	CALSTKPG	5.00	5.00	5.00	Calibration Cert, 3 pts.	CCALPG-3	33.00	33.00	55.00	Calibration Cert, 5 pts.	CCALPG-5	44.00	44.00	66.00	Material	Part #	Price	Brass	PXR-B	3.00	316SS	PXR-S	4.70	Part#	Size	Net Price	OXY25	2.5"	34.00	OXY40	4"	48.00	OXY45	4.5"	48.00
Gauge Size	Part #	Price																																																																															
4"	PXEM21-40	360.00																																																																															
4.5"	PXEM21-45	360.00																																																																															
Size	For models	Part #	Price																																																																														
2.5"	PR25, PG25S	MP-PR25	82.23																																																																														
4"	PR, PG40	MP-PR40	68.31																																																																														
4.5"	PT45	MP-PT45	75.90																																																																														
6"	PR60	MP-PR60	101.20																																																																														
Type of Certification	Part #	1.5"-2.5"	4"-6"	TestGauge																																																																													
Cert of Conformance	CCONPG	4.00	4.00	4.00																																																																													
Cert of Traceability	CNISTPG	8.00	8.00	8.00																																																																													
Calibration Sticker	CALSTKPG	5.00	5.00	5.00																																																																													
Calibration Cert, 3 pts.	CCALPG-3	33.00	33.00	55.00																																																																													
Calibration Cert, 5 pts.	CCALPG-5	44.00	44.00	66.00																																																																													
Material	Part #	Price																																																																															
Brass	PXR-B	3.00																																																																															
316SS	PXR-S	4.70																																																																															
Part#	Size	Net Price																																																																															
OXY25	2.5"	34.00																																																																															
OXY40	4"	48.00																																																																															
OXY45	4.5"	48.00																																																																															

SIPHONS For Steam isolation		180 deg.	90 deg.	(Catalog p.38)	
NPT	Material	Part #	Price	Part #	Price
1/4"	Carbon Steel - Sch. 40	PXS 21 SS	13.51	PXS 22 SS	13.51
1/4"	Carbon Steel - Sch. 80	PXS 21 SX	17.76	PXS 22 SX	17.76
1/2"	Carbon Steel - Sch. 80	PXS 51 SX	37.87	PXS 52 SX	37.87
1/4"	304 St. Steel - Sch. 40	PXS 21 4S	32.49	PXS 22 4S	32.49
1/2"	304 St. Steel - Sch. 80	PXS 51 4X	129.44	PXS 52 4X	129.44

SNUBBERS		Piston Type (with Adjustable Pulse Dampening), Or Porous Disc Type		(Catalog p.37)				
		PISTON TYPE	Porous Disc -GAS	Porous Disc - LIQUID				
NPT	Material	Max psi	Part #	Price	Part #	Price	Part #	Price
1/4"	Brass	5,000	PXS 022 B	27.60	PXS-722BG	12.59	PXS-722BE	12.59
1/2"	Brass	5,000	PXS 023 B	43.66	PXS-723BG	24.95	PXS-723BE	24.95
1/4"	Stainless	15,000	PXS 022 SS	73.46	PXS-722SG	17.44	PXS-722SE	17.44
1/2"	Stainless	15,000	PXS 023 SS	105.91	PXS-723SG	43.31	PXS-723SE	43.31

GAUGE COCKS Brass, Max. 100psi, 1/4"NPT			SS Ball Valves		<p>PRICING ALSO AVAILABLE for THESE OPTIONS & ACCESSORIES:</p> <ul style="list-style-type: none"> >Differential Gauges >Duplex Gauges >Custom Dial Drawing >Needle Valves >Sanitary Gauges >Threaded Diaphragm Seals >Mini-seals >Diaphragm Seal Filling
1/4" NPT Type	Part #	Price	1/4"x1/4"NPT FxF		
Female-Male Union	PXG-3101	29.64	800 psi, reduced port		
Female - Female	PXG-1380	12.73	PX800WOG 30.80		
Female - Female	PXG-1440	12.73	1,000psi, full port		
(Catalog p. 38)			PX1000WOG 52.72		

OPTIONAL GAUGE LENSES		
Gauge Model	Std. Lens	Optional Lenses
PR25S	Plastic	Plain glass- 3.00; Safety glass - 13.00; Polysulfone, 35.00
PR35S	Plastic	Plain glass- 4.00; Polysulfone, 40.00
PR40S	Lam. Safety. Gl.	Plain glass - 4.00 Plastic - 6.00
PR60S	Lam. Safety. Gl.	Plain glass - 4.00 Plastic - 8.00
PG25S, PC25S	Glass	Plastic - 6.00; Safety glass - 13.00; Polysulfone, 35.00
PC35S	Glass	Plastic - 6.00; Safety glass - 13.00; Polysulfone, 40.00
PG40S, PC40S	Glass	Plastic - 7.00; Safety glass - 15.00; Polysulfone, 50.00
PT45	Tempered glass	Safety glass - 20.00; Plastic - 8.00

